

**EUROPEAN AND MEDITERRANEAN PLANT PROTECTION ORGANIZATION**  
**ORGANISATION EUROPEENNE ET MEDITERRANEENNE POUR LA PROTECTION DES PLANTES**  
**Summary sheet of validation data for a diagnostic test**

The EPPO Standard PM 7/98 *Specific requirements for laboratories preparing accreditation for a plant pest diagnostic activity* describes how validation should be conducted. It also includes definitions of performance criteria.

<b>Laboratory contact details</b>	Anses Plant Health Laboratory - Nematology Unit Domaine de la Motte au Viconte BP 35327, 35653 Le Rheu, France
<b>Short description of the test</b>	Identification of Bursaphelenchus xylophilus by species specific PCR Matsunaga & Togashi (2005)
<b>Date, reference of the validation report</b>	2011-05-01 - Validation report may 2011
<b>Validation process according to EPPO Standard PM7/98?</b>	yes
<b>Is the lab accredited for this test?</b>	yes
<b>Was the validated data generated in the framework of a project?</b>	no
<b>Description of the test</b>	
<b>Organism(s)</b>	Bursaphelenchus xylophilus(BURSXY)
<b>Detection / identification</b>	identification
<b>Method(s)</b>	Molecular Conventional PCR
<b>Method: Molecular Conventional PCR</b>	
<b>Reference of the test description</b>	
<b>As or adapted from an EPPO diagnostic protocol</b>	no
<b>As or adapted from an IPPC diagnostic protocol</b>	no
<b>Reference of the test</b>	Matsunaga K. & Togashi K. (2005). A simple method for discriminating Bursaphelenchus xylophilus and B. mucronatus by species specific polymerase chain reaction primers pairs. Nematology 6(2), 273-277. Not included in appendix of PM 7/04(2)
<b>Other information</b>	
<b>Performance Criteria :</b>	
<b>Organism 1.:</b>	<b>Bursaphelenchus xylophilus(BURSXY)</b>
<b>Analytical sensitivity</b>	
<b>What is smallest amount of target that can be detected reliably?</b>	5 nematodes

<b>Diagnostic sensitivity</b>	
<b>Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98</b>	100%
<b>Standard test(s)</b>	no standard test, samples artificially infested
<b>Analytical specificity - inclusivity</b>	
<b>Number of strains/populations of target organisms tested</b>	7 populations (for details see table 2 in validation report)
<b>Specificity value</b>	100%
<b>Analytical specificity - exclusivity</b>	
<b>Number of non-target organisms tested</b>	15 populations (for details see table 2 in validation report)
<b>Specificity value</b>	100% - no cross reaction
<b>Reproducibility</b>	
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	100% for 5 B. xylophilus individuals
<b>Repeatability</b>	
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	100% for 5 B. xylophilus individuals
<b>Test performance study</b>	
<b>Test performance study?</b>	no
<b>Other information</b>	
<b>Any other information considered useful</b>	The full report is available upon request to the laboratory. French version only
The following complementary files are available online:	<ul style="list-style-type: none"> <li>• <a href="#">Table 2_comparison of different PCR tests B xylophilus identification</a></li> </ul>

Creation date: 2012-12-26 00:00:00 - Last update: 2021-06-15 16:11:24