

**EUROPEAN AND MEDITERRANEAN PLANT PROTECTION ORGANIZATION**  
**ORGANISATION EUROPEENNE ET MEDITERRANEENNE POUR LA PROTECTION DES PLANTES**  
**Summary sheet of validation data for a diagnostic test**

The EPPO Standard PM 7/98 *Specific requirements for laboratories preparing accreditation for a plant pest diagnostic activity* describes how validation should be conducted. It also includes definitions of performance criteria.

<b>Laboratory contact details</b>	EUPH DNA Barcoding , , EUPHRESKO
<b>Short description of the test</b>	DNA Barcoding - Optimizing and validating DNA barcoding protocols for Fungi
<b>Date, reference of the validation report</b>	2016-06-30 - Final_report_DNA barcoding.doc
<b>Validation process according to EPPO Standard PM7/98?</b>	yes
<b>Is the lab accredited for this test?</b>	no
<b>Was the validated data generated in the framework of a project?</b>	Euphresco
<b>If yes, please specify</b>	EUPHRESKO DNA Barcoding - Optimizing and validating DNA barcoding protocols for plant pests
<b>Description of the test</b>	
<b>Organism(s)</b>	Phytophthora ramorum (PHYTRA) Lecanosticta acicola (SCIRAC) Stagonosporopsis chrysanthemi (MYCOLG) Ceratocystis platani (CERAFFP) Verticillium dahliae (VERTDA)
<b>Detection / identification</b>	identification
<b>Matrix(ces) tested</b>	Other
<b>Method(s)</b>	Molecular Sanger seq Molecular other
<b>Method: Molecular Sanger seq</b>	
<b>Reference of the test description</b>	
<b>Other information</b>	
<b>Method: Molecular other</b>	
<b>Reference of the test description</b>	
<b>As or adapted from an EPPO diagnostic protocol</b>	yes
<b>EPPO Diagnostic Protocol name</b>	PM 7/129 DNA barcoding as an identification tool for a number of regulated pests (version 1)
<b>As or adapted from an IPPC diagnostic protocol</b>	no

Is the test modified compared to the reference test	no
<b>Kit</b>	
Is a kit used	no
<b>Other information</b>	
Other details on the test	BIO-X-ACT™ Short Mix (Bioline) See report for details about the primers & protocols
Are the performance characteristics included in the EPPO diagnostic protocol?	yes
<b>Performance Criteria :</b>	
Organism 1.:	<b>Phytophthora ramorum(PHYTRA)</b>
<b>Analytical sensitivity</b>	
What is the smallest amount of target that can be detected reliably?	See report
<b>Diagnostic sensitivity</b>	
Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98	100%
<b>Analytical specificity - inclusivity</b>	
Number of strains/populations of target organisms tested	See report
Specificity value	
<b>Analytical specificity - exclusivity</b>	
Number of non-target organisms tested	See report
Specificity value	
<b>Reproducibility</b>	
Provide the calculated % of agreement for a given level of the pest (see PM 7/98)	See report
Organism 2.:	<b>Lecanosticta acicola(SCIRAC)</b>
<b>Analytical sensitivity</b>	
What is the smallest amount of target that can be detected reliably?	See report
<b>Diagnostic sensitivity</b>	
Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98	100%
<b>Analytical specificity - inclusivity</b>	
Number of strains/populations of target organisms tested	See report
Specificity value	
<b>Analytical specificity - exclusivity</b>	

<b>Number of non-target organisms tested</b>	See report
<b>Specificity value</b>	
<b>Reproducibility</b>	
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	See report
<b>Organism 3.:</b>	<b>Stagonosporopsis chrysanthemi(MYCOLG)</b>
<b>Analytical sensitivity</b>	
<b>What is the smallest amount of target that can be detected reliably?</b>	See report
<b>Diagnostic sensitivity</b>	
<b>Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98</b>	89%
<b>Analytical specificity - inclusivity</b>	
<b>Number of strains/populations of target organisms tested</b>	See report
<b>Specificity value</b>	
<b>Analytical specificity - exclusivity</b>	
<b>Number of non-target organisms tested</b>	See report
<b>Specificity value</b>	
<b>Reproducibility</b>	
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	See report
<b>Organism 4.:</b>	<b>Ceratocystis platani(CERAFP)</b>
<b>Analytical sensitivity</b>	
<b>What is the smallest amount of target that can be detected reliably?</b>	See report
<b>Diagnostic sensitivity</b>	
<b>Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98</b>	89% (100% after re-analysing the consensus sequence data provided by TPS participants)
<b>Analytical specificity - inclusivity</b>	
<b>Number of strains/populations of target organisms tested</b>	See report
<b>Specificity value</b>	
<b>Analytical specificity - exclusivity</b>	
<b>Number of non-target organisms tested</b>	See report
<b>Specificity value</b>	
<b>Reproducibility</b>	
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	See report

<b>Organism 5.:</b>	<b>Verticillium dahliae(VERTDA)</b>
<b><u>Analytical sensitivity</u></b>	
<b>What is the smallest amount of target that can be detected reliably?</b>	See report
<b><u>Diagnostic sensitivity</u></b>	
<b>Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98</b>	100%
<b><u>Analytical specificity - inclusivity</u></b>	
<b>Number of strains/populations of target organisms tested</b>	See report
<b>Specificity value</b>	
<b><u>Analytical specificity - exclusivity</u></b>	
<b>Number of non-target organisms tested</b>	See report
<b>Specificity value</b>	
<b><u>Reproducibility</u></b>	
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	See report
<b><u>Test performance study</u></b>	
<b>Test performance study?</b>	yes
<b>Brief details of the test performance study and its output.It available, link to published article/report</b>	Test performance study involving 12 laboratories (9 of which provided data). See report for more information.
<b>The following complementary files are available online:</b>	<ul style="list-style-type: none"> <li>• <a href="#">EUPHRESCO DNA Barcoding - report</a></li> </ul>

Creation date: 2020-07-01 14:44:07 - Last update: 2026-01-22 11:34:49