



	in symptomatic and asymptomatic leaves of Prunus spp.
<b>Validation process according to EPPO Standard PM7/98?</b>	yes
<b>Is the lab accredited for this test?</b>	no
<b>Was the validated data generated in the framework of a project?</b>	Other_project
<b>If yes, please specify</b>	VALITEST
<b>Description of the test</b>	
<b>Organism(s)</b>	Plum pox virus / Potyvirus plumpoxi (PPV000)
<b>Detection / identification</b>	detection
<b>Matrix(ces) tested</b>	Leaves PPV negative material was acquired from the NVWA (Wageningen, NL) collection and from Naktuinbouw (Horst, NL).
<b>Plant species tested</b>	Nicotiana benthamiana, Prunus, Prunus avium, Prunus domestica, Prunus persica
<b>Method(s)</b>	Serological DAS-ELISA
<b>Method: Serological DAS-ELISA</b>	
<b>Reference of the test description</b>	
<b>As or adapted from an EPPO diagnostic protocol</b>	yes
<b>New test being considered for inclusion in the next version of the EPPO diagnostic protocol?</b>	yes
<b>EPPO Diagnostic Protocol name</b>	PM 7/032 Plum pox potyvirus (version 1)
<b>As or adapted from an IPPC diagnostic protocol</b>	no
<b>Is the test modified compared to the reference test</b>	no
<b>Kit</b>	
<b>Is a kit used</b>	yes
<b>Manufacturer name</b>	AGDIA
<b>Specify the kit used</b>	ELISA Reagent Set for Plum pox virus (PPV) (SRA 31505)
<b>Kit used following the manufacturer's instructions?</b>	no DAS-ELISA was performed according to EPPO standard PM7/125 (1) ELISA tests for viruses. Consequently, the buffers used were not the recommended buffers by the companies.
<b>Other information</b>	
<b>Other details on the test</b>	(SRA 31505/0096 - 96reactions/1 plate)

<b>Performance Criteria :</b>	
<b>Organism 1.:</b>	<b>Potyvirus plumpoxi(PPV000)</b>
<b>Analytical sensitivity</b>	
<b>What is the smallest amount of target that can be detected reliably?</b>	PPV-infected Nicotiana benthamiana extracts could be diluted up to at least 10x times in PPV free Prunus sp. extract and still show a positive signal
<b>Diagnostic sensitivity</b>	
<b>Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98</b>	NA
<b>Standard test(s)</b>	NA
<b>Analytical specificity - inclusivity</b>	
<b>Number of strains/populations of target organisms tested</b>	PPV strain An, C, CR, D, EA, M, Rec, T
<b>Specificity value</b>	100%
<b>Analytical specificity - exclusivity</b>	
<b>Number of non-target organisms tested</b>	PNRSV0, CVA000, ACLSV0, LCHV10, PDV000, CGRMV0, NSPAV0, APMV00, CHALV0, PBNSPA, APV300
<b>Specificity value</b>	100%
<b>Diagnostic Specificity</b>	
<b>Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test</b>	NA
<b>Specify the test(s)</b>	NA
<b>Reproducibility</b>	
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	NA
<b>Repeatability</b>	
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	NA
<b>Test performance study</b>	
<b>Test performance study?</b>	yes
<b>Brief details of the test performance study and its output. It available, link to published article/report</b>	Preliminary study to see if the test is suitable for the PPV test performance study organized in the framework of the VALITEST project
<b>The following complementary files are available online:</b>	<ul style="list-style-type: none"> <li>• <a href="#">VALITEST PPV TPS REPORT</a></li> </ul>

Creation date: 2020-09-30 11:52:26 - Last update: 2023-06-13 16:57:07