EUROPEAN AND MEDITERRANEAN PLANT PROTECTION ORGANIZATION ORGANISATION EUROPEENNE ET MEDITERRANEENNE POUR LA PROTECTION DES PLANTES Summary sheet of validation data for a diagnostic test

The EPPO Standard PM 7/98 Specific requirements for laboratories preparing accreditation for a plant pest diagnostic activity describes how validation should be conducted. It also includes definitions of performance criteria.

Laboratory contact details	Netherlands Institute for Vectors, Invasive plants and Plant health P.O. Box 9102, 6700 HC Wageningen, Netherlands
Short description of the test	Molecular detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp.
Date, reference of the validation report	2020-06-30 - PPV1
Link to other validation data	- PPV1 Serological detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Molecular detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Molecular detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Molecular detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Molecular detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Serological detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Molecular detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Serological detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Serological detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Molecular detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Molecular detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Serological detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Molecular detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Molecular detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Molecular detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp PPV1 Molecular detection of plum pox virus (PPV) in symptomatic and asymptomatic leaves of Prunus spp.

	in symptomatic and asymptomatic leaves of Prunus spp.
Validation process according to EPPO Standard PM7/98?	yes
Is the lab accredited for this test?	no
Was the validated data generated in the framework of a project?	Other_project
If yes, please specify	VALITEST
Description of the test	
Organism(s)	Plum pox virus / Potyvirus plumpoxi (PPV000)
Detection / identification	detection
Method(s)	Molecular Extraction DNA RNA Molecular real time RT PCR
Method: Molecular Extraction DNA RNA	
Reference of the test description	
As or adapted from an EPPO diagnostic protocol	yes
EPPO Diagnostic Protocol name	PM 7/032 Plum pox potyvirus (version 1)
As or adapted from an IPPC diagnostic protocol	no
Is the test modified compared to the reference test	no
Kit	
Is a kit used	yes
Manufacturer name	QIAGEN
Specify the kit used	RNeasy Plant Mini Kit
Kit used following the manufacturer's instructions?	no Followed RNA extraction protocol as described in Botermans et al., 2013 (Journal of Virological Methods, 187: 43-50)
Other information	
Method: Molecular real time RT PCR	
Reference of the test description	
As or adapted from an EPPO diagnostic protocol	no
As or adapted from an IPPC diagnostic protocol	no
Reference of the test	Anonymous (2018) TaqMan RT-PCR voor pruimensharkavirus (Plum pox virus, PPV) in blad en twijg houtachtige Prunus soorten, Naktuinbouw

reference test Kit Is a kit used Other information Reaction type Performance Criteria: Organism 1: Analytical sensitivity What is smallest amount of target that can be detected reliably? Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98 Standard test(s) Analytical specificity - inclusivity Proportion of strains/populations of target PPV-infected Nicotiana benthamiana extracts could be diluted up to at least 10^4 times in PPV free Prunus sp. extract and still show a positive signal Diagnostic sensitivity Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98 Standard test(s) Known status of of samples. Positive samples with known Ct values were diluted in PPV free Prunus extract. Analytical specificity - inclusivity Number of strains/populations of target organisms tested Specificity value Analytical specificity - exclusivity Number of non-target organisms tested Specificity value Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Reparability Provide the calculated % of agreement for a 100% evaluated with 2 replicate samples		protocol		
Is a kit used Other information Reaction type Performance Criteria: Organism 1.: Potyvirus plumpoxi(PPV000) Analytical sensitivity What is smallest amount of target that can be detected reliably? Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98 Standard test(s) Known status of of samples. Positive samples with known Ct values were diluted in PPV free Prunus setsed positive compared to results from the standard test, see appendix 2 of PM 7/98 Standard test(s) Known status of of samples. Positive samples with known Ct values were diluted in PPV free Prunus extract. Analytical specificity - inclusivity Number of strains/populations of target organisms tested Specificity value 100% Analytical specificity - exclusivity Number of non-target organisms tested Specificity value NA Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples 100% evaluated with 2 replicate samples	Is the test modified compared to the reference test	no		
Other information Reaction type Duplex - Probe Performance Criteria : Organism 1.: Potyvirus plumpoxi(PPV000) Analytical sensitivity What is smallest amount of target that can be diluted up to at least 10^4 times in PPV free Prunus sp. extract and still show a positive signal Diagnostic sensitivity Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98 Standard test(s) Known status of of samples. Positive samples with known Ct values were diluted in PPV free Prunus extract. Analytical specificity - inclusivity Number of strains/populations of target organisms tested Specificity value 100% Analytical specificity - exclusivity Number of non-target organisms tested Specificity value NA Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples 100% evaluated with 2 replicate samples	Kit			
Reaction type Performance Criteria: Organism 1.: Potyvirus plumpoxi(PPV000) Analytical sensitivity What is smallest amount of target that can be detected reliably? Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98 Standard test(s) Nown status of of samples. Positive samples were diluted in PPV free Prunus Analytical specificity - inclusivity Number of strains/populations of target organisms tested Specificity value Analytical specificity - exclusivity Number of non-target organisms tested Specificity value Analytical specificity NA Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. Positive samples were diluted in PPV free Prunus Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98)	Is a kit used	no		
Performance Criteria : Organism 1.: Potyvirus plumpoxi(PPV000) Analytical sensitivity What is smallest amount of target that can be detected reliably? PPV-infected Nicotiana benthamiana extracts could be diluted up to at least 10^4 times in PPV free Prunus sp. extract and still show a positive signal Diagnostic sensitivity Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98 Standard test(s) Known status of of samples. Positive samples with known Ct values were diluted in PPV free Prunus extract. Analytical specificity - inclusivity Number of strains/populations of target organisms tested Specificity value 100% Analytical specificity - exclusivity Number of non-target organisms tested Specificity value NA Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Provide the calculated % of agreement for a given level of the pest (see PM 7/98)	Other information			
Analytical sensitivity What is smallest amount of target that can be detected reliably? Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98 Standard test(s) Analytical specificity - inclusivity Number of strains/populations of target organisms tested Specificity value Analytical specificity - exclusivity Number of non-target organisms tested Specificity value Diagnostic Specificity Number of non-target organisms tested Specificity value Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. Positive samples with known Ct values were diluted in PPV free Prunus extract. NA NA PPV strain An, C, CR, D, EA, M, Rec, T One NA Specificity value NA Specificity value NA Specificity value NA Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98)	Reaction type	Duplex - Probe		
Analytical sensitivity What is smallest amount of target that can be deflucted reliably? Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98 Standard test(s) Minown status of of samples. Positive samples with known Ct values were diluted in PPV free Prunus extract. Analytical specificity - inclusivity Number of strains/populations of target organisms tested Specificity value Analytical specificity - exclusivity Number of non-target organisms tested Specificity value NA Specificity value Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Provide the calculated work agreement for a given level of the pest (see PM 7/98) Provide the calculated % of agreement for a given level of the pest (see PM 7/98)	Performance Criteria :	Performance Criteria :		
What is smallest amount of target that can be detected reliably? Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98 Standard test(s) Known status of of samples. Positive samples with known Ct values were diluted in PPV free Prunus extract. Analytical specificity - inclusivity Number of strains/populations of target organisms tested Specificity value Analytical specificity - exclusivity Number of non-target organisms tested Specificity value NA Specificity value NA Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Provide the calculated word agreement for a given level of the pest (see PM 7/98)	Organism 1.:	Potyvirus plumpoxi(PPV000)		
be diluted up to at least 10^4 times in PPV free Prunus sp. extract and still show a positive signal Diagnostic sensitivity Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98 Standard test(s) Known status of of samples. Positive samples with known Ct values were diluted in PPV free Prunus extract. Analytical specificity - inclusivity Number of strains/populations of target organisms tested Specificity value 100% Analytical specificity - exclusivity Number of non-target organisms tested Specificity value NA Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples	Analytical sensitivity			
Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98 Standard test(s) Known status of of samples. Positive samples with known Ct values were diluted in PPV free Prunus extract. Analytical specificity - inclusivity Number of strains/populations of target organisms tested Specificity value 100% Analytical specificity - exclusivity Number of non-target organisms tested NA Specificity value NA Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples given level of the pest (see PM 7/98)	What is smallest amount of target that can be detected reliably?	be diluted up to at least 10^4 times in PPV free		
tested positive compared to results from the standard test, see appendix 2 of PM 7/98 Standard test(s) Known status of of samples. Positive samples with known Ct values were diluted in PPV free Prunus extract. Analytical specificity - inclusivity Number of strains/populations of target organisms tested Specificity value Analytical specificity - exclusivity Number of non-target organisms tested NA Specificity value NA Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples	Diagnostic sensitivity			
known Ct values were diluted in PPV free Prunus extract. Analytical specificity - inclusivity Number of strains/populations of target organisms tested Specificity value Analytical specificity - exclusivity Number of non-target organisms tested NA Specificity value Na Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98)	Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98	98.6%		
Number of strains/populations of target organisms tested Specificity value Analytical specificity - exclusivity Number of non-target organisms tested Specificity value NA Specificity value NA Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98)	Standard test(s)	known Ct values were diluted in PPV free Prunus		
Specificity value Analytical specificity - exclusivity Number of non-target organisms tested Specificity value NA Specificity value Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples given level of the pest (see PM 7/98)	Analytical specificity - inclusivity			
Analytical specificity - exclusivity Number of non-target organisms tested Specificity value NA Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples	Number of strains/populations of target organisms tested	PPV strain An, C, CR, D, EA, M, Rec, T		
Number of non-target organisms tested Specificity value NA Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples	Specificity value	100%		
Specificity value Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples	Analytical specificity - exclusivity			
Diagnostic Specificity Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples	Number of non-target organisms tested	NA		
Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples	Specificity value	NA		
(true negatives) testing negative compared to results from a standard test Specify the test(s) Known status of of samples. All specimens were sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples	Diagnostic Specificity			
sequenced using NGS to verify viral content (PPV and other viruses) Reproducibility Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples	Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test	87.5%		
Provide the calculated % of agreement for a given level of the pest (see PM 7/98) Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples	Specify the test(s)	sequenced using NGS to verify viral content (PPV		
Repeatability Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples given level of the pest (see PM 7/98)	Reproducibility			
Provide the calculated % of agreement for a given level of the pest (see PM 7/98) 100% evaluated with 2 replicate samples	Provide the calculated % of agreement for a given level of the pest (see PM 7/98)	97.50%		
given level of the pest (see PM 7/98)	Repeatability			
Test performance study	Provide the calculated % of agreement for a given level of the pest (see PM 7/98)	100% evaluated with 2 replicate samples		
Test performance study? yes	Test performance study?	yes		

Brief details of the test performance study and its output.It available, link to published article/report	Test performance study organized in the framework of the VALITEST project involving 13 laboratories from 10 countries
The following complementary files are available online:	VALITEST PPV TPS REPORT

Creation date: 2020-09-30 13:45:50 - Last update: 2023-06-13 16:54:42