

EUROPEAN AND MEDITERRANEAN PLANT PROTECTION ORGANIZATION
ORGANISATION EUROPEENNE ET MEDITERRANEENNE POUR LA PROTECTION DES PLANTES
Summary sheet of validation data for a diagnostic test

The EPPO Standard PM 7/98 *Specific requirements for laboratories preparing accreditation for a plant pest diagnostic activity* describes how validation should be conducted. It also includes definitions of performance criteria.

| | |
|--|---|
| Laboratory contact details | Netherlands Institute for Vectors, Invasive plants and Plant health P.O. Box 9102, 6700 HC Wageningen, Netherlands |
| Short description of the test | Detection of Tomato brown rugose fruit virus by conventional RT PCR (Loewe kit) in seeds of tomato and pepper |
| Date, reference of the validation report | 2021-12-01 - Euphresco 2019-A-327 project report |
| Link to other validation data | <ul style="list-style-type: none"> - Euphresco 2019-A-327 project report Detection of Tomato brown rugose fruit virus by real time RT PCR (Abiopep) in seeds of tomato and pepper. - Euphresco 2019-A-327 project report Detection of Tomato brown rugose fruit virus by LAMP (Sarkes et al., 2020) in seeds of tomato and pepper - Euphresco 2019-A-327 project report Detection of Tomato brown rugose fruit virus by conventional RT PCR (Alkowni et al., 2019) in seeds of tomato and pepper - Euphresco 2019-A-327 project report Detection of Tomato brown rugose fruit virus by real time RT PCR (Menzel and Winter, 2021) in seeds of tomato and pepper - Euphresco 2019-A-327 project report Detection of Tomato brown rugose fruit virus by LAMP (Agdia AmplifyRP) in seeds of tomato and pepper - Euphresco 2019-A-327 project report Detection of Tomato brown rugose fruit virus by real time RT PCR (ISHI-Veg test) in seeds of tomato and pepper |
| Validation process according to EPPO Standard PM7/98? | yes |
| Is the lab accredited for this test? | yes |
| Was the validated data generated in the framework of a project? | Euphresco |
| If yes, please specify | Euphresco 2019-A-327 |
| Description of the test | |
| | |
| Organism(s) | Tomato brown rugose fruit virus / Tobamovirus fructirugosum (TOBRFV) |
| Detection / identification | detection |
| Method(s) | Extraction Molecular Extraction DNA RNA Molecular Conventional RT PCR |

| | |
|--|--|
| Method: Extraction | |
| <i>Reference of the test description</i> | |
| As or adapted from an EPPO diagnostic protocol | yes |
| EPPO Diagnostic Protocol name | PM 7/146 Tomato brown rugose fruit virus (version 1) |
| As or adapted from an IPPC diagnostic protocol | no |
| Is the test modified compared to the reference test | no |
| <i>Other information</i> | |
| Other details on the test | GH+ buffer |
| Method: Molecular Extraction DNA RNA | |
| <i>Reference of the test description</i> | |
| As or adapted from an EPPO diagnostic protocol | yes |
| EPPO Diagnostic Protocol name | PM 7/146 Tomato brown rugose fruit virus (version 1) |
| As or adapted from an IPPC diagnostic protocol | no |
| Is the test modified compared to the reference test | yes Centrifugation at 4°C |
| <i>Kit</i> | |
| Is a kit used | yes |
| Manufacturer name | QIAGEN |
| Specify the kit used | RNeasy Plant Mini Kit |
| Kit used following the manufacturer's instructions? | no Centrifugation at 4°C |
| <i>Other information</i> | |
| Method: Molecular Conventional RT PCR | |
| <i>Reference of the test description</i> | |
| As or adapted from an EPPO diagnostic protocol | yes |
| EPPO Diagnostic Protocol name | PM 7/146 Tomato brown rugose fruit virus (version 1) |
| Name of the test | One step conventional RT-PCR Loewe (Rodríguez-Mendoza et al. 2019) |
| As or adapted from an IPPC diagnostic protocol | no |
| Is the test modified compared to the reference test | no |
| <i>Kit</i> | |

| | |
|--|---|
| Is a kit used | yes |
| Manufacturer name | LOEWE |
| Specify the kit used | Tomato Brown Rugose Fruit Virus RNA PCR Cat No 09175 |
| Kit used following the manufacturer's instructions? | yes |
| Other information | |
| Reaction type | Simplex |
| Performance Criteria : | |
| Organism 1.: | Tobamovirus fructirugosum(TOBRFV) |
| <u>Analytical sensitivity</u> | |
| What is smallest amount of target that can be detected reliably? | Preliminary study on tomato seeds spiked with ToBRFV: 10 ⁻² with GH+ buffer for extraction 10 ⁻² with phosphate buffer for extraction |
| <u>Diagnostic sensitivity</u> | |
| Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98 | Tomato: 64.2% Pepper: 2.2% |
| Standard test(s) | Comparison with samples of known status |
| <u>Diagnostic Specificity</u> | |
| Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test | Tomato: 100% Pepper: 97.8% |
| Specify the test(s) | Comparison with samples of known status |
| Test performance study | |
| Test performance study? | yes |
| Brief details of the test performance study and its output.It available, link to published article/report | Test performance study organized in the framework of the Euphresco project 2019-A-327 involving 26 laboratories from 16 countries. The performance of this test is based on data from 9 laboratories. |
| | |
| The following complementary files are available online: | <ul style="list-style-type: none"> • Report_2019-A-327_Euphresco |

Creation date: 2022-01-06 10:37:02 - Last update: 2022-01-14 16:30:46