

**EUROPEAN AND MEDITERRANEAN PLANT PROTECTION ORGANIZATION**  
**ORGANISATION EUROPEENNE ET MEDITERRANEENNE POUR LA PROTECTION DES PLANTES**  
**Summary sheet of validation data for a diagnostic test**

The EPPO Standard PM 7/98 *Specific requirements for laboratories preparing accreditation for a plant pest diagnostic activity* describes how validation should be conducted. It also includes definitions of performance criteria.

|                                                                                                     |                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>Laboratory contact details</b>                                                                   | Anses Plant Health Laboratory - Nematology Unit<br>Domaine de la Motte au Viconte BP 35327, 35653<br>Le Rheu, France              |
| <b>Short description of the test</b>                                                                | Method for the Identification of <i>Nacobbus aberrans</i> from Isolated Nematodes by Real-Time PCR                                |
| <b>Date, reference of the validation report</b>                                                     | 2024-12-01 - Method for the Identification of <i>Nacobbus aberrans</i> from Isolated Nematodes by Real-Time PCR (ANSES/LSV/MA079) |
| <b>Validation process according to EPPO Standard PM7/98?</b>                                        | yes                                                                                                                               |
| <b>Is the lab accredited for this test?</b>                                                         | yes                                                                                                                               |
| <b>Was the validated data generated in the framework of a project?</b>                              | EURL                                                                                                                              |
| <b>If yes, please specify</b>                                                                       | EU-funded project EURLs-EURCs 2025-2027. Grant number: 101202127                                                                  |
| <b>Description of the test</b>                                                                      |                                                                                                                                   |
| <b>Organism(s)</b>                                                                                  | <i>Nacobbus aberrans</i> sensu lato (NACOBA)                                                                                      |
| <b>Detection / identification</b>                                                                   | identification                                                                                                                    |
| <b>Matrix(ces) tested</b>                                                                           | Specimen Isolated nematodes                                                                                                       |
| <b>Method(s)</b>                                                                                    | Molecular real time PCR                                                                                                           |
| <b>Method: Molecular real time PCR</b>                                                              |                                                                                                                                   |
| <b>Reference of the test description</b>                                                            |                                                                                                                                   |
| <b>As or adapted from an EPPO diagnostic protocol</b>                                               | yes                                                                                                                               |
| <b>New test being considered for inclusion in the next version of the EPPO diagnostic protocol?</b> | yes                                                                                                                               |
| <b>EPPO Diagnostic Protocol name</b>                                                                | PM 7/005 <i>Nacobbus aberrans</i> sensu lato (version 2)                                                                          |
| <b>As or adapted from an IPPC diagnostic protocol</b>                                               | no                                                                                                                                |
| <b>Is the test modified compared to the reference test</b>                                          | yes The method was adapted from the conventional PCR developed by Anthoine & Mugniéry (2005) to Real-Time PCR                     |
| <b>Kit</b>                                                                                          |                                                                                                                                   |

|                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Is a kit used</b>                                                                                                                 | no                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Other information</b>                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Reaction type</b>                                                                                                                 | Simplex                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Other details on the test</b>                                                                                                     | DNA extraction was performed with the use of lysis buffer (see details in the report). Amplicon size: 295 bp                                                                                                                                                                                                                                                                                                        |
| <b>Performance Criteria :</b>                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Organism 1.:</b>                                                                                                                  | <b>Nacobbus aberrans sensu lato(NACOBA)</b>                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Analytical sensitivity</b>                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>What is the smallest amount of target that can be detected reliably?</b>                                                          | 1 J2, 1 male (both 100%) and also 1 female, but only when the female is in good condition.                                                                                                                                                                                                                                                                                                                          |
| <b>Diagnostic sensitivity</b>                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98</b> | 100%                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Analytical specificity - inclusivity</b>                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Number of strains/populations of target organisms tested</b>                                                                      | 4 populations of N. aberrans sensu lato originating from Bolivia, Peru and Argentina                                                                                                                                                                                                                                                                                                                                |
| <b>Specificity value</b>                                                                                                             | 100%                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Analytical specificity - exclusivity</b>                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Number of non-target organisms tested</b>                                                                                         | 34 populations from the genera Meloidogyne (11 species); Globodera (4 species); Heterodera (4 species); Pratylenchus (1) and Punctodera (1)                                                                                                                                                                                                                                                                         |
| <b>Specificity value</b>                                                                                                             | 100%                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Cross-reacts with</b>                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Reproducibility</b>                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>                                             | 100%. The operators, the days on which the tests were carried out and two different thermocyclers: one uses a xenon lamp and the other LED technology. Different reaction consumables (Roche 96-well plate and Roche 8-well strips on an adapter) were also used.                                                                                                                                                   |
| <b>Repeatability</b>                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>                                             | 100% positive results for the 8 technical replicates of the DNA analysis of 1J2 and 2J2.                                                                                                                                                                                                                                                                                                                            |
| <b>Test performance study</b>                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Test performance study?</b>                                                                                                       | no                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Other information</b>                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Any other information considered useful</b>                                                                                       | The report is not publicly available, but can be provided on request (eurl.nematodes@anses.fr). It is restricted to the NRLs registered to the EURL website (see link below): <a href="https://sitesv2.anses.fr/en/minisite/plant-parasitic-nematodes/method-and-test-validation-reports">https://sitesv2.anses.fr/en/minisite/plant-parasitic-nematodes/method-and-test-validation-reports</a> The report has been |

|  |                                                                                                                                                                                                                                                                                                                                                  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | published to Zenodo with restricted access with the following citation: European Union Reference Laboratory for Plant Parasitic Nematodes. (2024). Method for the identification of <i>Nacobbus aberrans</i> by Real-Time PCR (Version 1). Zenodo. <a href="https://doi.org/10.5281/zenodo.14653989">https://doi.org/10.5281/zenodo.14653989</a> |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

*Creation date: 2026-04-22 12:03:16 - Last update: 2026-05-11 10:00:17*