EUROPEAN AND MEDITERRANEAN PLANT PROTECTION ORGANIZATION ORGANISATION EUROPEENNE ET MEDITERRANEENNE POUR LA PROTECTION DES PLANTES (11-17239)

Summary sheet of validation data for a diagnostic test

The EPPO Standard PM 7/98 Specific requirements for laboratories preparing accreditation for a plant pest diagnostic activity describes how validation should be conducted. It also includes definitions of performance criteria.

Target Organism	Bursaphe	lenchus xylophilus	
Short description	Detection of Bursaphelenchus xylophilus in wood extract with PCR RFLP Burgersmeister et al. 2005		
Laboratory contact details	Anses Plant Health Laboratory - Nematology Unit Domaine de la Motte au Viconte BP 35327, 35653 Le Rheu, France		
Date and reference of the validation report	2011-05 - Evaluation d'outils moléculaires d'identification de Bursaphelenchus xylophilus sur individus isolés		
Validation process according to EPPO Standard PM 7/98:	Yes		
Reference of the test description	O Appendix 1 Burgermeister W, metge K, Braasch H & Buchbach (2005) ITS-RFLP patterns for differentiation of 26 Bursaphelenchus species (Nematoda: Parasitaphelenchidae) and observations on their disribution. Russian Journal of Nematology 13(1), 29-42		
Is the test the same as described in the EPPO DP?	Yes		
Is the lab accredited for this test?	No		
Plant species tested (if relevant)			
Matrices tested (if relevant)	Nematodes		
List of methods used			
Method for extraction / isolation / baiting of target organism from matrix			
Molecular methods, e.g. hybridization, PCR and real time PCR	Х	PCR RFLP	
Serological methods: IF, ELISA, Direct Tissue Blot Immuno Assay			
Plating methods: selective isolation			
Bioassay methods: selective enrichment in host plants, baiting, plant test and grafting.			
Pathogenicity test			

Fingerprint methods: protein profiling, fatty acid profiling & DNA profiling					
Morphological and morphometrical methods intended for identification					
Biochemical methods: e.g. enzyme electrophoresis, protein profiling					
Other					
Analytical sensitivity (= limit of detection)					
What is smallest amount of target that can be detected reliably?	5 nematodes				
Diagnostic sensitivity	Diagnostic sensitivity				
Proportion of infected/infested samples tested positive compared to results from the standard test, see appendix 2 of PM 7/98	not performed				
Specify the standard test	not relevant				
Analytical specificity					
Specificity value	100%				
Number of strains/populations of target organisms tested	7 populations (see table1)				
Number of non-target organisms tested	15 populations (see table1)				
Cross reacts with (specify the species)	none				
Diagnostic Specificity					
Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test	not performed				
Specify the standard test	not relevant				
Reproducibility					
Provide the calculated % of agreement for a given level of the pest (see PM 7/98)	100% for 5 individuals				
Repeatability	_				
Provide the calculated % of agreement for a given level of the pest (see PM 7/98)	100%				
Test performance study					
Test performance study?	No				
Include brief details of the test performance study and its output.It available, provide a link to published article/report					

Other information		
Any other information considered useful e.g. robustness, ease of performing the test, etc.	See table 2. The full report is available upon request to the laboratory.	
The following complementary files are available online:	 Table 1 List of species and population tested to evaluate specificity 	