

**EUROPEAN AND MEDITERRANEAN PLANT PROTECTION ORGANIZATION**  
**ORGANISATION EUROPEENNE ET MEDITERRANEENNE POUR LA PROTECTION DES PLANTES**  
(11-17239)

**Summary sheet of validation data for a diagnostic test**

The EPPO Standard PM 7/98 *Specific requirements for laboratories preparing accreditation for a plant pest diagnostic activity* describes how validation should be conducted. It also includes definitions of performance criteria.

<b>Target Organism</b>	Pepino mosaic virus	
<b>Short description</b>	Detection of PepMV by RT-Q PCR in tomato seed and leaves	
<b>Laboratory contact details</b>	Anses Plant Health Laboratory - Bacteriology, Virology and GMO Unit 7 rue Jean Dixm�ras, 49000 Angers, France	
<b>Date and reference of the validation report</b>	2012-10 - Saison & Gentit & Tassus (2012) Comparaison des m�thodes RT PCR et RT QPCR avec la m�thode de r�f�rence ELISA pour la d�tection du Pepino Mosaic Virus (PepMV)	
<b>Validation process according to EPPO Standard PM 7/98:</b>	No	
<b>Reference of the test description</b>	0 Ling, K.S. et al., (2008) Genetic composition of Pepino mosaic virus population in North American greenhouse tomatoes. Plant Dis. 92, 1683-1688. Standard method used for the comparaison :M�thode officielle : VHS/04/06 version a : d�tection du virus de la mosa�ique du Pepino (PepMV) sur semences par technique s�rologique ELISA. The test has been undertaken using PRI serum. Modification of Ling et al.(2008) assay according to Pepeira project ( van der Vlugt et al., 2000)	
<b>Is the test the same as described in the EPPO DP?</b>	No No DP available	
<b>Is the lab accredited for this test?</b>	No	
<b>Plant species tested (if relevant)</b>	Solanum lycopersicum	
<b>Matrices tested (if relevant)</b>	Seed and leaves	
<b>List of methods used</b>		
<b>Method for extraction / isolation / baiting of target organism from matrix</b>	X	Each sample was tested twice, one sample grinded in the extraction buffer recommended by the supplier of the antiserum and another sample in the buffer recommended by the Pepeira project.
<b>Molecular methods, e.g. hybridization, PCR and real time PCR</b>	X	For RT-PCR, RNA was extracted with the RNeasy Plant Mini Kit from Qiagen and the Kit Invitrogen Super Script III One-Step RT-PCR is designed.
<b>Serological methods: IF, ELISA, Direct Tissue Blot Immuno Assay</b>		
<b>Plating methods: selective isolation</b>		

<b>Bioassay methods: selective enrichment in host plants, baiting, plant test and grafting.</b>		
<b>Pathogenicity test</b>		
<b>Fingerprint methods: protein profiling, fatty acid profiling &amp; DNA profiling</b>		
<b>Morphological and morphometrical methods intended for identification</b>		
<b>Biochemical methods: e.g. enzyme electrophoresis, protein profiling</b>		
<b>Other</b>		
<b><u>Analytical sensitivity (= limit of detection)</u></b>		
<b>What is smallest amount of target that can be detected reliably?</b>	Not concerned because the concentration of viruses is never known	
<b><u>Diagnostic sensitivity</u></b>		
<b>Proportion of infected/infested samples tested positive compared to results from the standard test , see appendix 2 of PM 7/98</b>	14/14	
<b>Specify the standard test</b>	DAS ELISA serum PRI & BIOREBA	
<b><u>Analytical specificity</u></b>		
<b>Specificity value</b>	100%	
<b>Number of strains/populations of target organisms tested</b>	14 (see table as separate file or full validation report for detail)	
<b>Number of non-target organisms tested</b>	19 (see table as separate file or full validation report for detail)	
<b>Cross reacts with (specify the species)</b>	No cross reaction observed with RT QPCR	
<b><u>Diagnostic Specificity</u></b>		
<b>Proportion of uninfected/uninfested samples (true negatives) testing negative compared to results from a standard test</b>	19/19	
<b>Specify the standard test</b>	DAS ELISA serum PRI & BIOREBA	
<b><u>Reproducibility</u></b>		
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>		
<b><u>Repeatability</u></b>		
<b>Provide the calculated % of agreement for a given level of the pest (see PM 7/98)</b>	1/4000 with PBS T PVP buffer; 1/120000 with phosphate buffer	
<b><u>Test performance study</u></b>		

<b>Test performance study?</b>	No
<b>Include brief details of the test performance study and its output. If available, provide a link to published article/report</b>	
<b>Other information</b>	
<b>Any other information considered useful e.g. robustness, ease of performing the test, etc.</b>	
The following complementary files are available online:	<ul style="list-style-type: none"> <li>• <a href="#">List of target strains and non-target organisms</a></li> <li>• <a href="#">Saison &amp; Tassus (2012) Comparaison des méthodes RT PCR et RT OPCR avec la méthode de référence ELISA pour la détection du Pepino Mosaic Virus (PepMV)</a></li> </ul>